Import Sessions From PortVision Plus With PortVision DX.

Please note, the DeviceMaster's seen in this example are all current firmware. In most cases you may not have updated the firmware, so the versions you see will likely be different.

PV PortVi	sion DX			1000	-				-		22	1		
<u>F</u> ile <u>M</u> a	inage <u>V</u> iew	<u>T</u> ools <u>H</u> elp												
		1	1	4	(a)		Q	X		0	4			
Scan	Refresh All	Properties	Save	Load	Upload	Reboot	Webpage	Notes	Help	About	Exit			
IP	ORTVIS													
Use meni this area	u or toolbar to ad	ld notes in	T											
				Device Nar	me		Mode	el	IP Address	MAC Addre	ss Sof	tware Version	Status	
<	····	4												
For Help.	press F1													0 Ready
														1

Open PortVision DX

IPV PortVision DX	-				-		-	
File Manage View Tools Help								
New Session			.0	CX.	1	A 4	(
Import Session	Unload	Report	Webnane	Notes	Help	About Ex	tz it	
Save Session As	opiona	Report	waapaga	1000cca	Thep	About Ex		
Export Device List to Notepad								
Convert DeviceMaster Configuration Files								
Exit Alt+X								
Use menu or toolbar to add notes in A this area.								
▲ Device	Name		Mode	4 I	P Address	MAC Address	Software Version	Status
E								
Import/Open an existing Session								0 0 Ready

Select the "File drop down menu and select "Import Session..."

IPV Import Session			×
Comtro	ol PortVision DX Sessions	✓ 4→ Search	Sessions 🔎
Organize 🔻 New fol	lder		:= • 🔟 🔞
☆ Favorites	Name	Date modified	Type Size
Desktop Downloads Recent Places	imine.pvsx	10/1/2015 9:28 AM	PVSX File
 □ Libraries □ Documents □ Music □ Pictures □ Videos 	Ε		
Computer		III	
File	<u>n</u> ame: *.pvsx	 ✓ PortVisio Oper 	on DX Sessions (*.pvsx) 👻

This will open default folder where there may be no files listed.

IPV Import Session			×
Comtrol > PortVision DX > Sessions	✓ 4 Search	Sessions	م
Organize 🔻 New folder		•	
★ Favorites Name	Date modified	Туре	Size
Desktop inne.pvsx	10/1/2015 9:28 AM	PVSX File	
🕮 Recent Places			
□ Libraries □ □ Documents □ Music □ Pictures □ Videos			
Local Disk (C:)			
👝 Local Disk (D:) 🔻 < 💷			
File <u>n</u> ame: *,pvsx	✓ PortVision PortVision PortVision	on DX Sessions (on DX Sessions (on Plus Sessions	(*.pvsx) ▼ *.pvsx) : (*.pvs)

In the lower right corner, change the file type from (*.pvsx) to (*.pvs)

IPV Import Session			x
🚱 🔍 🗢 🔛 « Users 🕨 Mac 🕨 My Documents 🕨 PortVision Plus	✓ Search	PortVision Plus	٩
Organize 🔻 New folder		= - 1	0
Mac Name	Date modified	Туре	Size
AppData	10/1/2015 9:25 AM	PVS File	
Contacts			
Cookies			
Desktop			
Favorites			
Links E			
Local Settin			
PortVision			
My Docum			
My Music 🗸 🖌 🏢			۰.
File <u>n</u> ame: mac+.pvs	✓ PortVisio	on Plus Sessions (*.pvs) 🔻
	<u>O</u> per	Cancel	

Change to the folder where the PortVision Plus session file was saved. In this example the session is called mac+.pvs. High-light the file and click the "Open" button.

It should show something like this:

IPV PortVis	ion DX		-	-		100			190	-		100		
<u>File Ma</u>	nage <u>V</u> iew	<u>T</u> ools <u>H</u> elp)											
1	2		Å	•	4	R	2	9	\swarrow	-	0 4			
Scan	Refresh All	Properties	Sar	ve	Load	Upload	Reboot	Webpage	Notes	Help	About Exit			
IP	ORTVIS	LO N° (DX)		.		ican Results [2	9 / 29]							
Name : So	an Results		*											
Use menu this area.	ı or toolbar to ad	ld notes in	*											
					Device N	lame		Mod	el	IP Address	MAC Address	Software Version	Status	*
				۵.	Devid	e 07:00:5E		UP-4F	(DB9)	192.168.2.41	00:C0:4E:07:00:5E	NS-Link 10.02	ON-LINE	=
			E	۵ 🗸	Devic	e 07:00:7E		RTS-4	P (DB9)	192.168.2.42	00:C0:4E:07:00:7E	SocketServer 10.02	ON-LINE	
				2	Devic	e 08:00:2A		RTS-8	P (DB9)	192.168.2.82	00:C0:4E:08:00:24	NS-Link 10.02	ON-LINE	
				•	Devic	e 09:00:60		RTS-4	P (RJ45)	192.168.2.43	00:C0:4E:09:00:60	NS-Link 10.02	ON-LINE	
				•	Devid	e 0A:00:2F		RTS-8	P (RJ45)	192.168.2.81	00:C0:4E:0A:00:2	SocketServer 10.02	ON-LINE	
			-	24	Devic	e 0B:01:05		RTS-1	6P (2E)	192.168.2.161	00:C0:4E:0B:01:05	NS-Link 10.02	ON-LINE	
1					Devio	:e 12:01:57		RTS-3	2P	192.168.2.201	00:C0:4E:12:01:57	NS-Link 10.02	ON-LINE	T
For Help, p	oress F1			•						11		Scan	Results	1 Ready
										_		1 10 000		1



High-light the listed DeviceMaster units as a group and then Right Click on the group and select Advanced > Change Detection Type.

Change Detection Type	x
Please choose the new Detection Type for the selected device(s).	OK Cancel
Detection Type : REMOTE	

In the Detection Type: filed, select the "REMOTE" option and click OK.

IPV PortVision DX	- C		A		-		x
<u>F</u> ile <u>M</u> anage <u>V</u> iew <u>T</u> ools <u>H</u> elp							
1 2 💰 🔞	🎉 🚸 🎓	🥭 😣 🔇	5 📀	0 🔫			
Scan Refresh All Properties Sa	rve. Load Upload	Reboot Webpage No	tes Help	About Exit			
PORTVISION	E- Can Results [25	9 / 29]					
Name : Scan Results							
Use menu or toolbar to add notes in Athis area.							
	 Device Name 	Model	IP Address	MAC Address	Software Version	Status	*
E	Device 07:00:7E Device 08:00:2A	RTS-4P (DB RTS-8P (DB	9) 192.168.2.42 9) 192.168.2.82	00:C0:4E:07:00:7E 00:C0:4E:08:00:2A	SocketServer 10.02 NS-Link 10.02	ON-LINE (TCP) ON-LINE (TCP)	E
_	Device 09:00:60	RTS-4P (RJ4	5) 192.168.2.43	00:C0:4E:09:00:60	NS-Link 10.02	ON-LINE (TCP)	
	Device 0A:00:2F	RTS-8P (RJ4	5) 192.168.2.81	00:C0:4E:0A:00:2F	SocketServer 10.02	ON-LINE (TCP)	
	Device 0B:01:05	KIS-16P (2)	102.168.2.161	00:C0:4E:0B:01:05	NS-Link 10.02	ON-LINE (TCP)	
-	Device 12:01:57	RTS-32P	192.106.2.201	00.00.4E12.01.57	SocketServer 10.02	ON-LINE (TCP)	-
4 III +	Device 12:13:AZ	NT3*52P	192.100.2.202	00.C0:4E:12:15:AZ	SocketServer 10.02	OT4-LINE	•
For Help, press F1					Scan Res	ults 29 7 Read	ły //

Right Click on the group and select "Refresh Device" from the pop-up.

You should result to this:

IPV PortVision DX								-				x
<u>File Manage View</u>	<u>T</u> ools <u>H</u> elp)										
Scan Refresh A	All Properties	Sav	re Loz	ad Upload	C Reboot	Q Webpage	べ Notes	🦘 Help	About Exi			
IPORTVI			₩ (Scan Results [2	29 / 29]							
Name : Scan Results		*										
Use menu or toolbar to this area.	add notes in	*										
			🔺 Devid	e Name		Mode	e l	IP Address	MAC Address	Software Version	Status	~
			🛸 🖌 🛛 D	evice 07:00:5E		UP-4P	(DB9)	192.168.2.41	00:C0:4E:07:00:5	NS-Link 10.02	ON-LINE (TCP)	=
		Ξ	🛸 🖌 🛛 D	evice 07:00:7E		RTS-4	P (DB9)	192.168.2.42	00:C0:4E:07:00:7	SocketServer 10.02	ON-LINE (TCP)	
			🛸 🖌 🛛 D	evice 08:00:2A		RTS-8	P (DB9)	192.168.2.82	00:C0:4E:08:00:2	A NS-Link 10.02	ON-LINE (TCP)	
			🍽 🖌 🛛 D	evice 09:00:60		RTS-4	P (RJ45)	192.168.2.43	00:C0:4E:09:00:6	NS-Link 10.02	ON-LINE (TCP)	
			🍽 🖌 🛛 D	evice 0A:00:2F		RTS-8	P (RJ45)	192.168.2.81	00:C0:4E:0A:00:2	F SocketServer 10.02	ON-LINE (TCP)	
			🍢 🖌 🛛 D	evice 0B:01:05		RTS-10	5P (2E)	192.168.2.161	00:C0:4E:0B:01:0	5 NS-Link 10.02	ON-LINE (TCP)	
			🍽 🖌 🛛 D	evice 12:01:57		RTS-3	2P	192.168.2.201	00:C0:4E:12:01:5	NS-Link 10.02	ON-LINE (TCP)	-
		r	•					111				•
For Help, press F1										Scan F	Results 1 Rea	idy //